

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	(264/139 or 264/154) and sealing near4 laminate	USPAT	OR	OFF	2008/09/04 11:16
S2	51	(264/139 or 264/154) and sealing and laminate	USPAT	OR	OFF	2008/09/04 11:29
S3	4	(264/139 or 264/154) and sealing near4 laminate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/16 13:39
S4	66	(264/139 or 264/154) and sealing and laminate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/16 13:39
S5	5744	(264/101 or 264/154 or 264/294 or 264/319)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/16 13:40
S6	6547	(264/101 or 264/154 or 264/294 or 264/294 or 264/296 or 264/319)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/16 13:41
S7	0	S6 and laminate and centring adj pin and forming adj jig and sealing and vacuum adj film and autoclave and forming	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/16 13:44

S8	775	(264/139 or 264/154 or 264/101 or 264/294 or 264/319 or "156"/ or 156/307.7 or 264/257 or 264/258 or 264/313-316 or 269/47-52 or 269/54 or 269/54.4 or 269/54.5 or 269/289 or "269"/ or "264"/) and sealing near4 laminate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 10:54
S9	0	(264/139 or 264/154 or 264/101 or 264/294 or 264/319 or "156"/ or 156/307.7 or 264/257 or 264/258 or 264/313-316 or 269/47-52 or 269/54 or 269/54.4 or 269/54.5 or 269/289 or "269"/ or "264"/) and sealing near4 laminate and centring near4 pin and autoclave	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 10:55
S10	32	(264/139 or 264/154 or 264/101 or 264/294 or 264/319 or "156"/ or 156/307.7 or 264/257 or 264/258 or 264/313-316 or 269/47-52 or 269/54 or 269/54.4 or 269/54.5 or 269/289 or "269"/ or "264"/) and sealing near4 laminate and autoclave	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 10:55

S11	12	(264/139 or 264/154 or 264/101 or 264/294 or 264/319 or "156"/ or 156/307.7 or 264/257 or 264/258 or 264/313-316 or 269/47-52 or 269/54 or 269/54.4 or 269/54.5 or 269/289 or "269"/ or "264"/) and sealing near4 laminate and autoclave and (pin or screw)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 11:03
S12	12	(264/139 or 264/154 or 264/101 or 264/294 or 264/319 or 264/510 or "156"/ or 156/307.7 or 264/257 or 264/258 or 264/313-316 or 269/47-52 or 269/54 or 269/54.4 or 269/54.5 or 269/289 or "269"/ or "264"/) and sealing near4 laminate and autoclave and (pin or screw)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 11:07
S13	9	"4118841"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 11:14
S14	36	"4118814"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 11:15
S15	1110571	(264/139 or 264/154 or 264/101 or 264/294 or 264/319 or 264/510 or "156"/ or 156/307.7 or 264/257 or 264/258 or 264/313-316 or 269/47-52 or 269/54 or 269/54.4 or 269/54.5 or 269/289 or "269"/ or "264"/)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 12:00

S16	1318	(264/139 or 264/154 or 264/101 or 264/294 or 264/319 or 264/510 or "156"/ or 156/307.7 or 264/257 or 264/258 or 264/313-316 or 269/47-52 or 269/54 or 269/54.4 or 269/54.5 or 269/289 or "269"/ or "264"/) and (multilayer\$2 near4 laminate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 12:01
S17	961	(264/139 or 264/154 or 264/101 or 264/294 or 264/319 or 264/510 or "156"/ or 156/307.7 or 264/257 or 264/258 or 264/313-316 or 269/47-52 or 269/54 or 269/54.4 or 269/54.5 or 269/289 or "269"/ or "264"/) and (multilayer\$2 near4 laminate and metal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 12:01
S18	489	(264/139 or 264/154 or 264/101 or 264/294 or 264/319 or 264/510 or "156"/ or 156/307.7 or 264/257 or 264/258 or 264/313-316 or 269/47-52 or 269/54 or 269/54.4 or 269/54.5 or 269/289 or "269"/ or "264"/) and (multilayer\$2 near4 laminate and metal and seal\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 12:02
S19	260	(264/139 or 264/154 or 264/101 or 264/294 or 264/319 or 264/510 or "156"/ or 156/307.7 or 264/257 or 264/258 or 264/313-316 or 269/47-52 or 269/54 or 269/54.4 or 269/54.5 or 269/289 or "269"/ or "264"/) and (multilayer\$2 near4 laminate and	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 12:02

		metal and seal\$3 and fiber)				
S20	0	"156"/ and "427"/ and "428"/ and laminate and centring adj pin and forming adj jig and sealing and vacuum adj film and autoclave and vacuum adj seal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 19:42
S21	1850	"156"/ and "427"/ and "428"/ and laminate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 19:43
S22	1	"156"/ and "427"/ and "428"/ and laminate and centring adj pin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 19:43
S23	2	"156"/ and "427"/ and "428"/ and laminate and sealing and vacuum adj film	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 19:44
S24	0	"156"/ and "427"/ and "428"/ and laminate and sealing and fiber-reinforced adj plastic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 19:46
S25	0	laminate and centring adj pin and forming adj jig and sealing and vacuum adj film and autoclave and vacuum adj seal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 19:46
S26	0	laminate and centering near8 pin and forming near8 jig and sealing and vacuum near8 film and autoclave and vacuum near8 seal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 19:47

S27	0	laminate and centering near8 pin and sealing and vacuum near8 film and autoclave and vacuum near8 seal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 19:47
S28	30	laminate and pin and sealing and vacuum near8 film and autoclave and vacuum near8 seal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 09:50
S29	0	laminate and pin near8 sealing and vacuum near8 film and autoclave and vacuum near8 seal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:44
S30	0	laminate and nail near8 sealing and vacuum near8 film and autoclave and vacuum near8 seal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:44
S31	0	laminate and pin near8 sealing and vacuum near8 film and (autoclave or furnace) and vacuum near8 seal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:51
S32	28	laminate and pin near8 seal\$3 and vacuum and film and (autoclave or furnace)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:55
S33	2	"2006142819"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 12:01
S34	4	"2001096634"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 12:10

S35	82	laminate and (pin or nail or tack) near8 seal\$3 and vacuum and film and (autoclave or furnace)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 12:41
S36	3	laminate and ((pin or nail or tack) near6 remov\$4) near8 seal \$3 and vacuum and film and (autoclave or furnace)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 12:44
S37	4	laminate and ((pin or nail or tack) near6 remov\$4) near8 seal \$3 and vacuum and film	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 12:44
S38	17	laminate and ((pin or nail or tack) near6 (remov\$4 or releas \$4) near8 seal\$3) and vacuum and film	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 12:47
S39	56	laminate and ((pin or nail or tack) near6 (remov\$4 or releas \$4) near8 seal\$3) and film	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 12:54
S40	94992	("156"/ or "264"/ or 269/47-52 or 269/54 or 269/54.4 or 269/54.5 or 269/289) and seal\$3 and (pin or prepreg or nail or tack)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 15:48
S41	5380	("156"/ or "264"/ or 269/47-52 or 269/54 or 269/54.4 or 269/54.5 or 269/289) and seal\$3 near6 (pin or prepreg or nail or tack)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 15:49

S42	370	("156"/ or "264"/ or 269/47-52 or 269/54 or 269/54.4 or 269/54.5 or 269/289) and seal\$3 and (pin or prepreg or nail or tack) and laminate and vacuum and autoclav\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 15:50
S43	50	("156"/ or "264"/ or 269/47-52 or 269/54 or 269/54.4 or 269/54.5 or 269/289) and seal\$3 and ((remov\$4) near5 (pin or prepreg or nail or tack)) and laminate and vacuum and autoclav\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 15:52
S44	48	Rajabali	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 20:06
S45	18	"5897739"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/30 10:19

9/ 30/ 2008 12:14:43 PM

C:\ Documents and Settings\ ssollenberger\ My Documents\ EAST\ Workspaces\ 10534278.wsp